

# MATERIAL SAFETY SHEET

Reviewed 01/02/2016  
Code: GEN



YOU CAN'T BUY A BETTER PAINT FOR LESS!™

## Easi Off



### SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION

Name : Paint Stripper CAS no. : n/a EC no. : n/a  
UN No. : 1263 Hazchem : 3[Y]E SAPMA : 2-H-E  
In emergency contact Mylaw Chemicals & Coatings (Pty)Ltd (Chief Chemist) at (011) 474 1900

### SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

[F R11][Carc3 R40]  
EC Classification : F Xn, R40,11 S02,13,16,43A,46,51

#### HAZARDOUS AND/OR OTHER RELEVANT COMPONENTS

DICHLOROMETHANE\* >1%  
[CAS #: 75-09-2] [E.C. #: 602-004-00-3]  
EEC Labels : XN OEL 350mg OEL 100ppm CL  
ETHYL ALCOHOL - PURE : %  
[CAS #: 64-17-5] [E.C. #: 603-002-00-5]  
EEC Labels : F OEL 1900mg OEL 1000.ppm RL  
TOLUENE <12.5%  
[CAS #: 108-88-3] [E.C. #: 601-021-00-3]  
EEC Labels : F XN OEL 188mg OEL 50ppm STOEL 560mg STOEL 150ppm RL+ S

(CL/RL = Controlled/Recommended level 'S' = Skin annotation)

### SECTION 3: HAZARDS IDENTIFICATION

SAPMA Health Rating: 2-MODERATE - Temporary or minor injury possible even if treatment given  
Inhalation: Irritating, narcotic. Can affect CNS.  
Skin: Irritating, risk of dermatitis. May be absorbed.  
Eyes: Irritating.  
Ingestion: Irritating and nauseating.  
Human Carcinogen Cat 3. (EC/CHIP2)  
Medium to long term environmental effects. Contain, collect & remove.

### SECTION 4. FIRST AID MEASURES

Inhalation: Move to fresh air. In case of discomfort seek medical attention.  
Skin: Use hand cleaner/soap & water. Remove contaminated clothing. If any discomfort get medical attention  
Eyes: Rinse immediately with plenty of water. Seek medical advice if symptoms persist.  
Ingestion: Wash mouth with plenty of water. Do NOT induce vomiting. seek medical attention.

### SECTION 5. FIRE FIGHTING MEASURES

Highly flammable with toxic fumes.  
Containers liable to burst in a fire.  
Foam. Dry powder. Fog to cool and control. Do NOT use water jets.

### SECTION 6. ACCIDENTAL RELEASE MEASURES - SEE ALSO SECTIONS 5, 8, 13

Contain & collect. Use an inert - NOT sawdust. Keep out of drains & sewers.

### SECTION 7. HANDLING AND STORAGE

Store separately from any reactive substances - oxidisers in particular.  
No open flames. No smoking. No sparks.  
Store containers with due care in case of fire.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

SAPMA Rating: 2-H-E

# MATERIAL SAFETY SHEET

Reviewed 01/02/2016  
Code: GEN



YOU CAN'T BUY A BETTER PAINT FOR LESS!™

## Easi Off.../continued

PPE: Respirator and Eye protection  
Inhalation: In case of insufficient ventilation, use suitable respiratory protection.  
Skin: Use barrier cream and impervious gloves.  
Eyes: Use face shield & goggles or full face respirator/hood. Avoid direct contact.  
Ingestion: Observe the rules of hygiene. Wash before eating, drinking or smoking.  
OEL Type: Mix- Mixture - See Section 2 Skin annotation



### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Chemical class: Paint  
Product Description: Viscous liquid  
Smell: Pungent  
Boil. pt: >35  
FlashPoint: <23

### SECTION 10: STABILITY AND REACTIVITY

Stable under normal conditions  
Prone to ignite by static  
Inert - no reaction with fire-fighting water

### SECTION 11: TOXICOLOGICAL INFORMATION

Human Carcinogen Cat 3. (EC/CHIP2)

### SECTION 12: ECOLOGICAL INFORMATION

Medium to long term environmental effects. Contain, collect & remove.

### SECTION 13: DISPOSAL INFORMATION

Hazardous. Use reputable waste disposal contractors. Destroy used containers.



### SECTION 14: TRANSPORT INFORMATION

UN no: 1263 Packing group : II IMO  
Class: 3.2 IMO  
Subsid: 6.1  
Hazchem: 3[Y]E

### SECTION 15: REGULATORY INFORMATION

EC no.: N/a  
Contains: DICHLOROMETHANE\*  
EC Classification: F Xn, R40,11 S02,13,16,43A,46,51  
R40: Possible risk of irreversible effects  
R11: Highly Flammable  
S2: Keep out of reach of children. (Retail sales items)  
S13: Keep away from food, drink and animal feeding stuffs  
S16: Keep away from sources of ignition - No smoking  
S43A: In case of fire, use water fog, foam or powder - Do not use water jets!  
S46: If swallowed seek medical advice immediately and show this container or label  
S51: Use only in well ventilated areas



# MATERIAL SAFETY SHEET

Reviewed 01/02/2016  
Code: GEN



**YOU CAN'T BUY A BETTER PAINT FOR LESS!™**

## Easi Off.../continued

### SECTION 16. OTHER INFORMATION

This substance is a potential carcinogen - ensure precautions are taken.  
In case of any discomfort always seek medical advice.

---

This MSDS conforms with General Administrative Regulations of 6 Sept.1996 (ISO-11014/ANSIZ400.1.1996)  
OELs derived from OHS Act Regulations for Dangerous Chemical Substances of 25 Aug.1995 (EH-42)  
SAPMA Rating - South African Paint Manufacturers Association Guide to Health Hazards (SABS ARP 006:1991)  
All information is given in good faith but without guarantee in respect of accuracy.  
No responsibility is accepted for errors or omissions or the consequences thereof.  
These recommendations were extracted from the EcoChem database (Les Fisher - 031-2660523)